


TROPITONE®



CFL



LED

MGP ACCESSORY
LIGHTING



INSTALLATION GUIDE

Please read all instructions carefully before assembling and using this product. Keep this guide for future reference.

- ✓ Check that all hardware and components are provided before you start assembly.

⚠ WARNING! IMPORTANT SAFETY INSTRUCTIONS

This product has no ON/OFF switching mechanism. A separate control device can be purchased at your local hardware store that will plug into your wall outlet.

SUITABLE FOR WET LOCATION USE.

DO NOT SUBMERGE.

⚠ CAUTION! RISK OF ELECTRIC SHOCK.

Do not use with extension cord near water or where water may accumulate. Keep the product and electric cord at least 16 feet away from pool and spa. Keep plugs and receptacles dry.

This portable product has a polarized plug (one blade is wider than the other) as a feature to reduce the risk of electric shock. This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Never use with an extension cord unless plug can be fully inserted. Do not alter the plug.

Ground Fault Circuit Interrupter (GFCI) protection is to be provided on the circuit or outlet to be used for the wet location portable product. Receptacles are available having built-in GFCI protection and are able to be used for this measure of safety. Use only with an extension cord for outdoor use, such as extension cord or cord type SW, SW-A, SOW, SOW-A, STW, STW-A, STOW, STOW-A, SJW, SJW-A, SJOW, SJOW-A, SJTW, SJTW-A, SJTOW, OR SJTOW-A.

⚠ Be sure that the cord is not plugged into an outlet before proceeding with the replacement of the bulb.



⚠️ WARNING! IMPORTANT SAFETY INSTRUCTIONS

⚠️ CAUTION! TO REDUCE THE RISK OF FIRE.

Relamp with 15 watts maximum with type of Self-Ballasted CFL or LED Lamp with the standard UL 1993/NMX-J-578/1-ANCE/CSA C22.2 NO. 1993.

⚠️ CAUTION! RISK OF FIRE.

Use only Self-Ballasted CFL or LED Lamp in this product. Incandescent and Halogen lamps may cause severe thermal damage.




Do not perforate or modify the product.

PLANTERS:

Do not bury the pot. The drainage pipe underneath the product must always be kept clear to ensure proper drainage. For better drainage, cover the drain with geotextile fabric.



INSTRUCTIONS TO REPLACE BULB

1. Unscrew 2 screws using #2 Phillips Screwdriver to remove socket.
2. Install CFL or LED bulb in socket and place into product.
3. Install 2 screws using #2 Phillips Screwdriver.



INSTRUCTIONS FOR LED BULB + INFRARED REMOTE

Remove plastic protector before use.



TROPITONE®

CARE INSTRUCTIONS

For care and cleaning instructions, refer to the Tropitone® Care, Maintenance, Safety & Warranty Information guide included with your furniture and available at www.tropitone.com/warranty.

CUSTOMER SERVICE

If you have difficulty understanding any of the instructions and need assistance while assembling your MGP Accessory Lighting, please call Tropitone's Customer Service Center at 949.951.2010.

Tropitone Furniture Co., Inc.
5 Marconi
Irvine, California 92618
949 951 2010
www.tropitone.com

Warranty

For our current Warranty and product care information, please visit www.tropitone.com/warranty
Part # R9T00050
©2019 Tropitone Furniture Co., Inc.
05/19

